

**Proven  
Performance**

# **McCloskey** INTERNATIONAL **Kompaq**



# Kompaq Track Screener

With a highly aggressive screenbox, unrivalled mobility, and the ability to handle a wide range of material, the McCloskey Kompaq is a truly unique and versatile flatdeck screener, designed to meet your needs.

“With a variety of screening options available, the Kompaq can deal with our demands for a variety of tough applications when recycling building materials”.

HONGO Industrials Corporation  
Japan




### Options

Mid Product conveyor - Produces extra stockpile.



Track Turn Table 90° - For ease of stockpile positioning



Height Extensions

Deutz or CAT engine Power



**McCloskey**  
INTERNATIONAL

## Features & benefits

### High Discharge Height -

Maximum discharge height of 8' - 9' ft.

### Extended Side and Back Plates -

Enlarges the material loading area.

### Aggressive Screenbox -


Aggressive 4 bearing screenbox designed for maximum production capacity in wet sticky material.



### High Output -

High Output due to 8' x 4' top deck and 8' x 4' bottom deck.

### End Tensioned Screen System -

Enables ease of mesh change and high performing harp screens to be installed.





#### Kompaq dimensions and weight

Length - transport	4000mm (13'- 1")
Width - transport	2240mm (7'- 4")
Height - transport (Spill Plates folded)	2121mm (6'- 1")
Height - transport	2300mm (7'- 6")
Weight - track	5,500kgs (12,000 lbs) - estimated

## See it in action...

View working videos, customer testimonials and more at [www.mccloskeyinternational.com](http://www.mccloskeyinternational.com)



**N.America & S.America**  
 #1 McCloskey Road, RR#7  
 Peterborough, Ontario Canada,  
 K9J 6X8  
 1-877-Trommel  
 T (705) 295-4925  
 F (705) 295-4777  
[mccloskey@mccloskeyinternational.com](mailto:mccloskey@mccloskeyinternational.com)

**UK & International**  
 47 Moor Road,  
 Coalisland,  
 Co Tyrone,  
 N.Ireland BT71 4QB  
 T +44 (0) 2887-740-926  
 F +44 (0) 2887-747-242  
[salesuk@mccloskeyinternational.com](mailto:salesuk@mccloskeyinternational.com)

McCloskey International reserves the right to make changes to the information and design of the machines on this brochure without reservation and notification to the users. McCloskey International assumes no liability resulting from errors or omissions in this document.



#### Applications



- Topsoil screening
- Landscaping
- Site clearance
- Inert material
- Crushed stone
- Sand and gravel
- Pre-Crusher scalping
- Sizing material after crusher

#### Maintenance/User friendly



- Universal user friendly controls throughout the McCloskey Line.
- 10 minute setup time.
- Highly maneuverable on-site.
- Unique user friendly belt adjusters.



Authorised dealer.